Effect of Temperature on the Shear-Thickening Behavior of Fumed Silica Suspensions
ACS Applied Materials & Interfaces
Warren, Offenberger, Toghiani, Pittman, Lacy, and Kundu
2015 7 (33), pp 18650–18661
Abstract | Full Text HTML | PDF w/ Links | Hi-Res PDF

Contribution of Surface Chemistry to the Shear Thickening of Silica Nanoparticle Suspensions
Langmuir
Yang, Wu, Pei, Zhou, and Xue
2017 33 (4), pp 1037–1042
Abstract | Full Text HTML | PDF w/ Links | Hi-Res PDF



COVER STORY

World chemical outlook for 2018

Even when the economic times are good, one region of the globe typically lags. Perhaps Japan is in recession,...

SCIENCE CONCENTRATES



Stepping up gene synthesis

Microarray synthesis of DNA oligonucleotides costs a fraction of a penny per base. But such methods can't...

BUSINESS CONCENTRATES



China restricts imports of plastic trash

A Chinese government policy aimed at curbing imports of postconsumer plastic waste went into effect Jan...

POLICY CONCENTRATES



NIH allows gain-of-function research on pathogens

The U.S. National Institutes of Health has resumed funding research on how pathogens that cause diseases...

1155 Sixteenth Street N.W.
Washington, DC 20036

ISSN 1944-8244


Copyright © 2017
American Chemical Society

Products
Journals A-Z
eBooks
C&EN
C&EN Archives
ACS Legacy Archives
ACS Mobile
Video


User Resources
About Us
ACS Members
Librarians
Authors & Reviewers
Website Demos
Privacy Policy
Mobile Site

Support
Get Help
For Advertisers
Institutional Sales
Live Chat

Partners



STF treated aramid fabrics after impact



Untreated aramid fabrics after impact

Purchase PDFPurchase

Outline

1. Abstract
2. Keywords
3. 1. Introduction
4. 2. Shear thickening mechanism
5. 3. Rheological properties of STFs
6. 4. Rheology of multi-phase STFs
7. 5. STFs in protective applications
8. 6. Possible applications of STFs
9. 7. Conclusions
10. Acknowledgements
11. Appendix A.
12. References
13. Vitae

Show full outline

Figures (30)

1.
2.
3.
4.
5.
6.

Show all figures

JavaScript is disabled on your browser. Please enable JavaScript to use all the features on this page.

Packaging Information

STF SG is available in 1 kg packaging. Optional diluent is supplied in 200 g bottles. Please contact us for bulk packaging options.

Environmental

Customer is responsible for ensuring that Customer's workplace and waste disposal practices are in compliance with applicable laws and other government enactments. STF Technologies will provide SDS and information to assist our customers in complying with safety, regulatory, and waste disposal considerations.

Disclaimer of Warranty

The information provided in this document is believed to be accurate and is offered in good faith. Customer is responsible for conducting all tests to confirm that the STF meets all of the required regulations and performance specifications, and is safe when used in Customer's intended application or product. The materials described in this document are intended as research and development materials only. STF Technologies disclaims any express or implied warranty regarding merchantability or suitability for use in any particular product or application.